

HARDWARE AND SOFTWARE REQUIREMENTS FOR HAL E-BANK

Document number: 53-2-0/22

Place and date: Belgrade, June 8 2022

Prepared by: Halcom a.d.




Table of Contents

1	HARDWARE AND SOFTWARE REQUIREMENTS FOR HAL E-BANK SYSTEM	3
2	SINGLE USER VERSION – HAL E-BANK/PERSONAL	3
2.2	SOFTWARE REQUIREMENTS.....	4
2.3	PARAMETER REQUIREMENTS.....	5
3	MULTI-USER VERSION – HAL E-BANK/CORPORATE	6
3.1	WORKSTATION REQUIREMENTS.....	6
3.2	HARDWARE AND SOFTWARE REQUIREMENTS FOR SERVER:	6

1 HARDWARE AND SOFTWARE REQUIREMENTS FOR HAL E-BANK SYSTEM

Preconditions for using Hal E-Bank:

- An appropriate PC with Windows 8.1, Windows 10 or Windows 11 operating system installed. All Windows operating systems have to be updated with the latest security updates;
- Hal E-Bank software;
- a valid qualified digital certificate issued by Halcom CA and authorized by the bank;
- connection to the bank server (internet access or a dial-up connection);
- business agreement that you conclude with the bank on doing business via the Hal E-Bank solution.

If your digital certificate was issued on a smart card, you will also need a smart card reader (connect it to your computer).

2 SINGLE USER VERSION – HAL E-BANK/PERSONAL

2.1 HARDWARE REQUIREMENTS

OPERATING SYSTEM	WINDOWS 8.1, 10, 11
COMPONENT	REQUIREMENT
Processor	<i>minimal</i> : 1 GHz <i>recommended</i> : 2GHz 32-bit processor or higher
RAM size	<i>minimal</i> : 1 GB <i>recommended</i> : 2 GB or more
Hard drive space	<i>minimal</i> : 1 GB <i>recommended</i> : 2 GB available hard drive space or more
Screen resolution	<i>minimal</i> : 1024 x 768 pixels
Additional requirements	Internet connection. In case of using a modem connection it is required that the modem supports a connection speed of at least 128 Kbps, recommended 512 Kbps.
	If your digital certificate was issued on a smart card, you will also need a smart card reader (connect it to you your computer).

If you are using a smart card reader, you will also need available communication ports, depending on the smart card reader type:

Smart card reader	OPERATION SYSTEM			
	WIN 8.1 32-bit	WIN 8.1 64-bit	WIN 10 32-bit	WIN 10/11 64-bit
HID Omnikey 3021 	✓	✓	✓	✓
ACS ACR38U 	✓	✓	✓	✓
IDBridge K30 USB 	✓	✓	✓	✓

2.2 SOFTWARE REQUIREMENTS

You will need appropriate rights to successfully install all the necessary software, otherwise your system administrator should be present. The following software is needed:

- The program to work with qualified digital certificates - Nexus Personal (Windows 8.1/10/11).
- Microsoft Internet Explorer 11.0 or higher.
- Adobe Acrobat Reader or Adobe Acrobat X 10.0 or higher.

2.3 PARAMETER REQUIREMENTS

Parameter requirements:

- On the PCs, where Hal E-Bank client or database is installed, time zone must be set to GMT+1.
- Serbian regional settings have to be installed on all work stations (these settings don't need to be selected as default).

In order to connect with the bank server through the firewall, you will need to have an open port for data transfer and updating of the program. IP addresses and required port numbers:

BANK	DNS/IP	PORT	EBU PORT*
Halcom**	ebank.ebb-bg.com	3600	3604
UniCredit banka Srbija	eb.unicreditbank.rs	3600	3604
NLB Komercijalna banka Beograd	ebank.kombank.com	3600	3604
Erste banka Novi Sad	e-bank.erstebank.rs	3600	3604

* EBU PORT is used only for application upgrade directly through Hal E-Bank

** This is IP address of all banks except those listed below

- Application does not use HTTP proxy servers, as the basic protocol for data transmission protocol is not HTTP.

The application can be linked directly to the HTTPS server, but not through a proxy server. So far we have received very few requests for implementation of SSL Tunnelling or SSL proxy support. From a safety point of view it is the same, whether a company allows access to a URL via SSL proxy or permits the opening of the external links to the exact defined server and TCP port.

The only proxy servers supported by our client are so-called "port forwarding" or "traffic redirection" proxy servers, where all the traffic, which is sent on TCP port of the proxy server, is forwarded to the target e-banking server and remains unchanged.

3 MULTI-USER VERSION – HAL E-BANK/CORPORATE

Hal E-Bank/Corporate is intended for organizations where several persons are responsible and authorized for working with electronic bank and perform payment operations on many computers that are connected to the local area network.

Hal E-Bank/Corporate program works on the client-server principle and requires a shared database, which is usually installed on a server. The database server IBM DB2 has to be installed on the server. On the workstations, where Hal E-Bank Corporate clients are installed, there has to be IBM DB2 Client Application installed and the software has to be properly configured. To perform installation on the server full control administrator rights are necessary.

Additional requirements have to be fulfilled when using Hal E-Bank / Corporate. Workstations have to meet all the requirements stated in Hal E-Bank/Personal section as well!

3.1 WORKSTATION REQUIREMENTS

- A workstation must be connected to the local area network via TCP/IP protocol.
- At least 100 MB additional hard disk space is required.
- If you are using dial-up access for connecting to the Hal E-Bank server, then at least one computer running Hal E-Bank client should have a modem installed. In the event that dial-up access is used, then it is possible to exchange data with the bank only on computers on which modems are installed. In case that the modem is installed on only one computer, all data exchange with the bank takes place via that computer.

3.2 HARDWARE AND SOFTWARE REQUIREMENTS FOR SERVER:

- IBM DB2 database OS requirements:

IBM DB2 ver. 11.1

Windows 10 (Enterprise, Professional)

Windows Server 2012 (Datacenter, Essentials, Standard)

Windows Server 2012 R2 (Datacenter, Essentials, Standard)

Windows Server 2016 (Datacenter, Essentials, Standard)

Windows Server 2019 (Datacenter, Essentials, Standard)

The requirements for the operating system for workstations are the same as for the server.

- TCP/IP protocol support.
- Hard drive space required for normal operation of IBM DB2 database is at least 2 GB. Greater amount of hard drive space is required with more frequent use and greater size of the database. An approximate amount can be calculated using the following formula: 5000 transactions = 20 MB hard drive space + received files size.

- Required RAM size:
 - **Windows 10, Windows Server 2012 / 2012 R2 / 2016 / 2019** at least 4 GB

RAM usage depends on other applications running on the server as well. **The server must have enough RAM to manage normal operations without swapping memory.**

- Serbian regional settings must be set as default («Region» Administrative» Language for non-Unicode programs – Serbian (Latin, Serbia))
- IBM DB2 database installation.
- Client accesses the server through TCP / IP port 50000, which means that the port must be opened in any firewall or router, which is located between the client and the server location.
- Environment Variables must be added (table below):

VARIABLE NAME	DB2COUNTRY	DB2CODEPAGE	DB2SOURCEPAGE
VARIABLE VALUE	381	1250	1250



Halcom a.d.
Beogradska 39
11000 Beograd
Srbija

T+381 11 330 65 00
Einfo@halcom.rs

www.halcom.rs

in f 